



01 1	adau.
01 - li	
	Company Profile
_	Sathroom
	Bathroom Accessores
03	Inda
	Inda
	Inda
	Salin
	Defogger Mirror
07	Bagen
	Curtains and Scales
08	Laica - Joycare
09	Makeup Magnifying Mirror
	Hair Dryer
10	Valera
	Guest Room
	Hair Dryer
11	Valera
R	Room System
12	Bittel
13	iHome
N	/linibar
	Minibar System
14	Smart Fridge
15	Primo+
16	Well Way: Pro Series
17	ron & Iron Board: Aslotel - HoneySon
	Guest Room Safe
18	Minibar systems
19	Be-Tech
	Guest Room Kettles & Trays
	Aslotel - Kinox
	HoneySon - B Tray

Public Area

Bellman Trolley - House Keeping Trolley

22 --- Minibar Trolley - Wringer Cleaning Trolley

Hotel Indoor and Outdoor Signs

24 - Compay Refference



Master Nile was established in 2003 with the aim to provide high-quality non-food supplies at factory prices to hotels and restaurants on a worldwide basis and to offer creative solutions for the hospitality industry's purchasing needs.

With a head office in Cairo, Egypt, the staff are all professionals and hands on expertise. In the industry we are dedicated to deliver a high quality service to all our customers. We are specialized in under construction projects, extensions and renovations, where quality and price really matter.

Master Nile markets its products mainly in Africa and in the Middle East and business has developed in line with the rapid growth of the hotel industry in these areas.

Prior to the establishment of our company, our Managing Director has been involved in the hotel business for more than 15 years in various hotels, during which time he has obtained his extensive knowledge of the hotel industry on a global scale.

At present we are specializing in the manufacture and supply of non-food hotel and restaurant supplies and also represent many specialized producers as their sole agent in most countries of the world.

Believing to have been of service to you with this information we look forward to a valued business relationship

Master Nile Teamwork













































INDA is recommended supplier of the world's Leading Hotel chains since many years. Such as Marriott, Hilton, Accor, NH and Una Hotels are some of the hotel brands supplied worldwide.

The Inda accessories division has obtained the quality system certification from TÜV, according to the UNI EN ISO 9001:2008 standard. Overall operative processes, from order purchase to product delivery, are constantly checked. TÜV Italy guarantees the Inda conformity with higher quality standards provided by the UNI EN ISO 9001 certification.

This result ensures complete and constant company system dependability With a sterling reputation as supplier to the world's leading hotels, INDA is a key player in the cruise ship industry. Since the Fifties, INDA bathroom accessories have been chosen for the world's most prestigious transatlantic liners, like the Andrea Doria, Cristoforo Colombo, Michelangelo, Raffaello, and Leonardo da Vinci.

HOTELLERIE



A04110 CR Cm 13 w * 7 H * 11 D



A0451h CR Cm 20 w * 7 H * 13 D



A04100 CR Cm 7 w * 11 H * 10 D



A04210 CR Cm 8 w * 7 H * 5 D



A04490 CR Cm 16 w * 4 H * 16 D



A0494A, B, C CR Cm 37,52,67 w * 7 H * 8 D



A38270 CR Cm 13 w * 10 H * 10 D



A04680 CR Cm 57 w * 7 H * 25 D



A04660 CR Cm max 250 w*10 H*4 D



A05670 CR 0.5L Cm 8 w * 16 H * 11 D



AV402S CR 3L Cm 17 w * 25 H * 23 D



EXPORT



A05090 CR Cm 9 w * 4 H * 7 D



A22110 CR Cm 13 w * 7 H * 11 D



A22100 CR Cm 8 w * 11 H * 9 D



A22210CR Cm 8 w * 7 H * 6 D



A05610 CR

Cm 2 w * 2 H * 3 D



A2218A B C CR Cm 35,50,65 w * 7 H * 7



A22510 CR Cm 24 w * 7 H * 14 D



Cm 19 w * 21 H





A22290 AL Cm 14 w * 4 H * 10





A22260 CR Cm 13 w * 7 H * 10 D



A22280 CR Cm 5 w * 16 H * 8 D











Quadro A16250 CR Cm 14 w * 10 H * 8 D



Quadro A16260 CR Cm 15 w * 13 H * 9 D



Touch A46210 CR Cm 8 w * 5 H * 6 D



Touch A46252 CR Cm 34 w * 5H * 8 D



Touch A4618B CR Cm 51 w * 5H * 8 D



Handicapped A04940 CR Cm 59 w * 59 H * 7 D



Handicapped AV036A CR Cm 35 w * 11H * 37 D Loading 160 K.g.




Handicapped A0493A CR Cm 77 w * 47H * 7 D





SL- 16904820 Cm 16.5 w * 5 H * 6.75 D



SL-16904810 Cm 16.5 w * 5 H * 6.75 D



SL-1690360 Cm 19.75 w * 18 H * 6.9 D



SL-16904610 Cm 5 w * 5 H * 4 D



SL- 90005000 Cm 43 w* 13 H*21.3 D



SL- 23004420 Cm 59.4w * 10.8H * 23.4D



SL- 90001004 Cm 25.2w * 15H * 6D



SL- 16904410 Cm 61 w * 5 H * 24.9 D



SL- 16902410 Cm 61 w * 5 H * 6.8 D



BAGEN®



Code	Size		Watts
R -1515	380mm ×	380mm	20
R -2020	520mm ×	520mm	41
R -2525	640mm ×	640mm	65
R -3131	780mm ×	780mm	99
R-3535	880mm ×	880mm	127
R-4040	1000mm ×	1000mm	166
R-4444	1100mm ×	1100mm	202
R-4848	1200mm ×	1200mm	243



Code	Size Watts	
0-1624	400mm × 600mr	n 38
O-1826	450mm × 650mr	n 45
O -1628	450mm × 650mm	45
0 -2432	600mm × 800mm	76
0 -2436	600mm × 900mm	87
O -3040	750mm × 1000mm	123
0-4048	1000mm × 1200mm	201
0-4852	1200mm × 1300mm	218



Code	Size		Watts
R-1624	400mm	× 600mm	48
R-1826	450mm	× 650mm	57
R -2432	600mm	× 800mm	96
R -2436	600mm	× 900mm	108
R -3040	750mm	× 1000mm	150
R-3448	850mm	× 1200mm	204
R-4052	1000mm	× 1300mm	260
R-4860	1200mm	× 1500mm	360





LAICA JOYCARE®

Digital Personal Scale Laica Art. PS-1048

Digital bathroom scale provided with an elegant tempered glass platform 6 mm. Max capacity: 150 kg / 330 lbs. Graduation: 100 g / 0, 2 lb. Wide LCD display 5 * 2.5 CM Switch able to pound. Auto zero resetting / Auto power off



Laica PS 2011

Equipped with high precision strain gauge sensor system.

Large non-slip platform. Mechanical Comfortable Platform Material: metal, enameled coating Max capacity: 180 kg.

Size: 44.5 * 32.5 * 7



JOYCARE DIGITAL SCALE

Colors available: gray

Max capacity: 180 Kg compatible with mark Graduation: 100 g

Tempered glass platform


4 Strain Gauge accuracy sensors Large and easy to read LCD display

AUTO-ON

Kg/lb/st selection

Power supply: 1 lithium battery CR2032 (3V) included

Automatic "tap-on" activation Time delay automatic switch off



Material: high quality water proofed polyester

Size: Custom size

Shape: double layer, outside is stripes & the inside is blank

Hooks: without

Hang: special plastic rings to insert the rod through the holes Supported with heavy leads at the bottom

Color: white or Ivory

Shower Rod

Material: Stainless steel Length: 160 - 220 cm







Magnifying Mirror with LED lighting LS85PA-WL

Shape: Round acrylic frame Size: Cm 21 for mirror

Material: brass with chrome finish & Stainless steel parts

Magnifying: 3x Power supply: Batteries Switch: Push button

Magnifying Mirror with LED lighting LSPB-WLF

Shape: Square acrylic frame Size: Cm 20.5 for mirror

Material: brass with chrome finish & Stainless steel parts

Magnifying: 3x Power supply: 220 v Switch: Push button





Magnifying mirror with LED lighting


LS85B-WL

Shape: Round

Size: Cm 21 for mirror

Material: brass with chrome finish & Stainless steel parts

Magnifying: 3x Power supply: 220 v Switch: Push button



Shape: Triangle
Size: Cm 16W × 27H for mror
Material: brass with chrome finish & Stainless steel parts
Magnifying: 3x
Power supply: 220 v
Switch: Push button






Magnifying Mirror with LED lighting ES21QAW

Shape: Round acrylic frame Size: Cm 21 for mirror Material: chrome finish

Magnifying: 5x

Power supply: Batteries Switch: Push button



Shape: Oval Size: Cm 20.5 for mirror Material: chrome finish

Magnifying: Normal & Swing 3x & 8x





Swing magnifying mirror LS8G-W

Shape: Round

Size: Cm 20.3 for mirror

Material: brass with chrome finish & Stainless steel parts

Magnifying: Normal & 3x
















Three heat setting: Cool, 900, 1800.

Air flow speed: two setting Concentrator nozzle



Extensible spiral cord Colors: White/Chrome or Black/Chrome



Colors: White

Three heat setting: Cool, 900, 1800.

Air flow speed: Three setting

With removal filter Concentrator nozzle Straight cord



Three heat setting: Cool, 900, 1800.

Valera 📵

Air flow speed: two setting Concentrator nozzle Extensible spiral cord

Colors: White/Chrome or Black/Chrome







MediaJack-Mini

Mini Stereo Jack HDMI Audio/Video

Bluetooth wireless audio streaming
High-Current 2.1 Amp, 5 Volt USB Charging Socket
Standard 0.5 Amp, 5 Volt USB Charging Socket
Automatic Input switching (HDMI-CEC)
Brushed Metal & Black Trim options in box
3m HDMI cable & power supply



BT6300 - Ethernet Cable

Recognizable access point for in-room HSIA RJ45 (Ethernet) socket (front), Rubber Footed, and is weighted to stay in position.



Tabletop socket BW-T611A

Pop-Up table include One Universal Power, One RG45, One Tel, Audio/Video and VGA.



MediaJack-3A(G

Provide two universal plugs with single HDMI, RG45 and audio input



HA9888(67)TSD - Guest Room

The industry's best performing, most reliable phones and stunning state of-the-art design



HA9888(66)T - Bathroom

Great for use in bathrooms and public areas. Simply elegant, UNO Slim fits in anywhere you need.







HWL83

Patented Triple Display

Front display plus 2 side displays with individual dimmer controls Gentle Wake Alarm wakes sleepers up gradually with increasing volume 2 USB ports to charge mobile devices

Snooze button

Qi wireless charging pad for compatible devices

Speakerphone with digital voice echo cancellation and talk/end controls NFC Technology

NFC (Near Field Communication) Technology, Instantly connects via touch compatible device to iHome unit for a quick and easy Bluetooth connection. Bluetooth wireless audio

Stream digital audio wirelessly from your Bluetooth-enabled audio device

iBT29

Equipped with Bluetooth

Streams Music From Bluetooth or Use AUX Input Jack

FM Tuner with 6-Preset Memory

Alarm Can Be Set To Bluetooth Audio, FM Radio Or Built-in Tone

2 Independent Alarms

Translucent Cabinet & Display Changes Color At The Touch Of A Button

5 Color-changing Led Cabinet & Display With 6 Color & Wake Up Color Modes

USB Port for Charging Mobile Devices

Built-In Speakerphone enables Paired Cellular Phone Functions With Microphone,

Talk & End Buttons





iDL46

Lightning Dock Compatible with iPhone 5/5S, iPhone 6/6 Plus iPad Air/ iPad Mini|Plays and charges iPad, iPhone or iPod models with Lightning or 30-pin dock connector|Dual alarm with weekday/weekend/custom alarm settings. Programmable snooze|Auto Sync automatically syncs unit to iPhone time in seconds|Reson8 speaker chambers.Specially designed sealed speaker enclosures deliver astounding clarity, depth and power

HRN21

The HBN21 is specifically designed for hotels. With a compact design it offers NFC Bluetooth, FM clock radio, USB charging and speakerphone. Single day alarm prevents guests from waking to previously set alarms from sounding, while the Gentle Wake peacefully wakes guests with gently ascending alarm volume. Guests can stream their own audio wirelessly through Bluetooth and NFC technology allows NFC-capable devices to connect to Bluetooth instantly.





HT160B

This alarm features wake to buzzer, a snooze button which controls 8 levels of display brightness, an easy-to-set alarm with printed instructions on cabinet, and a single day alarm that prevents unwanted alarms from sounding, The Sure Alarm battery backup maintains clock setting and ensures alarm wake time in case of power failures. Gentle Wake peacefully wakes you with gently ascending alarm volume. It also has auto-set features such as time and date are preset at the factory and automatic daylight saving time adjustment. Charging capabilities include a 2.1 amp USB charging port for rapid charging. Additional features include 12/24 hour time display modes, back cover prevents tampering with time settings, multi-function backlit negative LCD display with adjustable brightness, clean contemporary design, and a power adaptor (included).





















SMART FRIDGE

Smart Fridge

The intelligent fridge that cools only when your guests need it! smart rridge, an innovative new product from Minibar Systems, redefines hotel in-room convenience refrigeration technology with benefits for both guests and hotels. The control panel lets guests use the fridge when needed and can be shut down when not needed, saving up to 50% of specified energy consumption. Hotels are now able to offer guests the amenity they ask for and benefit from our fundamental commitment to develop sustainable products.

• LED guest convenience control panel

• Saves up to 50% in energy consumption

• Self-executing diagnostic tests

• Oujet compressor technology

Technical Specifications	Guest fridge 50	Guest fridge 65	Smart fridge 50	Smart fridge 65
Cooling System	Silent compressor	Silent compressor	Silent compressor	Silent compressor
Net Volume L	46	62	46	62
Solid and Glass Door H x W x D (mm)	520 x 432 x 508	648 x 432 x 515	534 x 432 x 508	660 x 432 x 515
Internal light	No	No	Yes	Yes
Door Options	Standard Solid Black	Stainless Steel	Glass Door & Black Metal	Glass Door
Watts (W) 85 85 85 85				
Voltage (V)	110 / 220	110 / 220	110 / 220	110 / 220
Energy Consumption (kWh/24h)	0.62	0.53	0.31 - 0.62	0.27 - 0.53
Net Weight (kgs)	15.9	18.5	15.9	18.5
CONTRACTOR OF CONTRACTOR CONTRACTOR		er.		

Certifications: CE/ TUV / ROHS / WEEE c-ETL-us, CE c-ETL-us, CE





PRIMO+ — great quality, great value
PRIMO+ minibars have been quality engineered with generous internal cabinet space, simple and stylish design, low energy consumption and silent absorption technology. It's great value for your hotel. PRIMO+ minibars are available as standard with interior LED light and lock. Glass door and aluminum glass door are an







Features

Stocking capacity of up to 24 facings Adjustable transparent door racks for high visibility Removable shelving for easy cleaning Thermal insulation manufactured with Cyclopentane Fully automatic defrost and easily adjustable thermostat Strong door hinges convertible left to right All-round magnetic seals to keep the door perfectly shut Integrated door handles Interior LED light

Lock (can be deactivated, not available on aluminum glass door)

Technical Specifications	PRIMO+ 20	PRIMO+ 30	PRIMO+ 40
Cooling System	Absorption	Absorption	Absorption
Net Volume	20.3 liter	29.3 liter	35.4 liter
Solid and Glass Door HxWxD(mm)	450x360x440	520x400x440	520x400x490
Aluminum Glass Door HxWxD (mm)	450x360x425	520x400x425	520x400x475
Watts (W)	55	65	65
Voltage (V)	220/240	220/240	220/240
Energy Consumption (kWh/24h)	0.70	0.85	0.90
Net Weight (kgs)	14.5	15.5	16.5
Certifications: CE/ TUV / ROHS / WEEE	Our production plants are ISO	09001:2000 and ISO14001 certific	ed







Pro Series - great quality, great value

Minibars have been quality engineered with generous internal cabinet space, simple and stylish design, low energy consumption and silent absorption technology. It's great value for your hotel. Minibars are available as standard with interior LED light and Reversible door opening direction.





II Generation cooling unit 30% higher cooling effect than other similar products

Allow switching off the mini bar without plug out.





Low consumption interior LED light

Adjustable / removable tempered glass shelves





The new cooling piece is more room saving and has 50 % more surface dimension leading to higher cooling efficiency and lower consumption.

External door Color: Interchangeable colors for selection



Technical Specifications	XC-25B	XC-30C	XC-40C	XC-60C
Cooling System		Absorption		
Cooling Temperature	5-13 ℃	4-6°C 7-9°C	4-6°C 7-9°C	4-6°C 7-9°C
Solid Door H x W x D (mm)	435 x 400 x 395	500 x 400 x 410	560 x 400 x 430	580 x 490 x 490
Glass Door H x W x D (mm)	435 x 400 x 413	500 x 400 x 420	560 x 400 x 440	580 x 490 x 500
Watts (W)	70	70	70	85
Voltage (V)	220/240	220/240	220/240	220/240
Energy Consumption (kWh/24h) Solid Door	0.7	0.7	0.75	0.95
Energy Consumption (kWh/24h) Glass Door	1.1	1.2	1.3	1.45
Net Weight (kgs) Solid Door	15	15	18	21.5
Net Weight (kgs) Glass Door	21	15	18	25.5
Certifications:		CE, EMC, GS, Ro	HS	
	Cooling System Cooling Temperature Solid Door H x W x D (mm) Glass Door H x W x D (mm) Watts (W) Voltage (V) Energy Consumption (kWh/24h) Solid Door Energy Consumption (kWh/24h) Glass Door Net Weight (kgs) Solid Door	Cooling System Cooling Temperature 5-13 °C Solid Duor H x W x D (mm) 435 x 400 x 395 Glass Door H x W x D (mm) 435 x 400 x 413 Watts (W) 70 Voltage (V) 220/240 Energy Consumption (kWh/24h) Solid Door 0.7 Energy Consumption (kWh/24h) Glass Door 1.1 Net Weight (kgs) Solid Door 15 Net Weight (kgs) Glass Door 21	Cooling System Absorption Cooling Temperature 5-13 °C 4-6°C 7-9°C Solid Door H x W x D (mm) 435 x 400 x 395 500 x 400 x 410 Glass Door H x W x D (mm) 435 x 400 x 413 500 x 400 x 420 Watts (W) 70 70 Voltage (V) 220/240 220/240 Energy Consumption (kWh/24h) Solid Door 0.7 0.7 Energy Consumption (kWh/24h) Glass Door 1.1 1.2 Net Weight (kgs) Solid Door 15 15 Net Weight (kgs) Glass Door 21 15	Cooling System Absorption Cooling Temperature 5-13 °C 4-6°C 7-9°C 4-6°C 7-9°C Solid Duor H x W x D (mm) 435 x 400 x 395 500 x 400 x 410 560 x 400 x 430 Glass Door H x W x D (mm) 435 x 400 x 413 500 x 400 x 420 560 x 400 x 440 Watts (W) 70 70 70 Voltage (V) 220/240 220/240 220/240 Energy Consumption (kWh/24h) Solid Door 0.7 0.7 0.75 Energy Consumption (kWh/24h) Glass Door 1.1 1.2 1.3 Net Weight (kgs) Solid Door 15 15 18 Net Weight (kgs) Glass Door 21 15 18





Iron Technical information

Overall dimensions (mm): 109(w) x 248(l) x 125(d)

Power cable: 3.50 meters Voltage: 220v/240v Frequency: 50/60 hz Power output: 1200w

Construction: polypropylene body with rust-resistant aluminum alloy soleplate

Approvals: TUV/GS, UL

Features Steam/dry iron

15 minute auto shut-off when left in the upright position, 30 second motion sensor shut-off

when left in the horizontal position . non-stick rust-resistant soleplate

Self-cleaning

Push button for spray mist®


Select dial for full range of steam and fabric settings

Steam adjustment lever

Large easy-view water reservoir

360° swivel cord

Designed to use tap water



Dimensions (mm): 390(w) x 1300(l) x 65(d) opens to a height of 820mm Construction: tubular steel with silver grey powder-coated finish Color silver grey legs with black scorch resistant cover

Features

aslotel

relationship • experience • choice

Durable design Light-weight

Integrated hook for hanging on wardrobe rail Universal iron fitting - fits most standard iron sizes Easy storage Cover & pad included

Adjustable height lever Catch stops board from re-opening when stowed



Iron & board holder technical Information

Dimensions (mm): 175(w) x 370(l) x 5(d)

Construction: ABS plastic

Universal fitting - fits most standard irons and ironing boards

Integrated hook for hanging on wardrobe rail

Iron cable anti-theft bracket

Iron cable can be easily looped for tidy storage, avoiding twisting.

This will preserve the life of the cable



Apply to hang ironing board white or black for option size: H 29.5*W13.5cm

Honeyson

Dry/Spray/Steam/Burst steam/Self-cleaning Optional function: Anti-calc/Auto shut-off

Water tank capacity: 340ML Dial thermostat control

Soft handle

Soleplate: Ceramic Unit Size: 28*11.5*14cm Soleplate Size: 23.9*11.8cm 220-240V,50/60HZ ,2000W













Standard Features

- Motorized double bolt
- Large LED display and keyboard
- · Battery auto-check and low battery warning
- Battery backup
- Master code override
- Five additional codes for supervisors
- · Mechanical emergency key

Options

- Audit handheld including software allows override procedure, download and reporting of the last 400 operations and 50 failed attempts.
- Internal light
- Internal power socket

Colors: Matte, White & black ADA Keypad & illuminated blue keypad LED Display for clear visible numbers

Power: 4 AA batteries

Locking: full auto motorized opening and locking system by digit display.

User code 4 - 9 digits.

Hotel one time code usage & residential personal code usage for option.

Laser cut door for minimum crack between door & body.

Inside carpet around body

Low consumption interior LED light Emergency Override: IB key & master key.

Slide cover hide key hole and & power connector.

Internal outlet Universal charger socket 110 / 220 V mounted on the inside door.

In case of empty batteries: Outer place for 9V battery. Audit trial reporting function identifying all 300 safe opening.

Option: AC\DC adapter power supply for reduce power consumption.





Left or Right hinge For Option Left hinge safe and right hinge safe for opti-make the safe positioning with great facility



Metal brand plate Built-In metal brand plate customizes logo for you.



ADA background light kepad The ADA keypad with background light is easy for users to operate in dark environment.



Internal LED lamp Internal LED lamp activities automatically after safe door opening and its illumination angle is adjustable manually, convenient for guest













aslotel

Welcome trav set Color: Matt black tray with Polished & black kettle Capacity: 1 L.

Wattage: 1850 - 2200W

Voltage requency:220-240V, 50-60HZ

Cable length: 0.68 m

360 Cordless systems for greater convenience. Automatic shut-off when the water has boiled Stainless steel Concealed heating element for maximum hygiene and minimum cleaning.

Set includes: kettle (stainless steel inside), ABS tray, sachet tray and cups tray

Tamper-proof socket built into tray for added security against theft.

Welcome tray set 3012T1

Stainless steel Electric jug 1.0 L. with matching tray.

360 Cordless systems for greater convenience.

Automatic shut-off when the water has boiled or empty & over heat protection. Concealed heating element for maximum hygiene and minimum cleaning.

Tamper-proof socket built into tray for added security against theft.

Elegant Porcelain cups, saucers and condiment holder.

Wattage:1000 W Power rating: 230 V

Dim: L 35 CM * W 42.5 CM * H 20.5 CM Without Cups, Spoon or beverage holder















Bellman Trolley

Size: 65 W × 190 H × 115 D

Bellman Trolley

Size: 50 W × 123 H × 76 D



Housekeeping trolley

Loading capacity: up to 100 kg Shelf size cm: 76.5 W × 48 L Trolley size: 86 W × 123 H × 52 D Closed Trolley size: 151 W × 123 H × 52 D Open



Shelf size cm: $76.5~\text{W} \times 48~\text{L}$ Trolley size: $80~\text{W} \times 123~\text{H} \times 52~\text{D}$



Single Mop Wringer Trolley

B-040 Capacity 36 L Down Press wringer Product size: W55 * D39 * H91 cm



Side-press double mop wringer trolley

B-043

Capacity 60 L

4 ball bearing Castors with Shock protection for a silent Driving behavior


Product size: 40 * 27 * 34 cm



























Projec

Bathroom Accessories

Amarco Cruise Luxor Azur Mediterranean Byoum Fayoum Basma Aswan Concord Salam Cairo Conference Hall Police Academy Dar Faiz Cairo Dahabiat Cruise Luxor Fairmont Airport Fort Arabisc Hurghada Festival Garden & Reef Hurghada Helnan Fayoum Hilton Corniche Hilton King Ranch Alex Hilton Green Plaza Alex Hilton Golf Hilton Marsa Alam J W Marriott Le Meridian airport Mena House Mall Arab Cinemas Movenpick Pyramids Movenpick Media City Mercure Sphinx Mercure Ismailia Marriott Taba Mercure Bay View Dahab Nile Dolphin Cruise Luxor Novotel 6th Oct Old Palace Hurghada Pharos Grand Hotel Alex Rail board Hospital Romance Alex Renaissance Sharm Sun Rise Crystal Hurghada Swiss Inn Dream land Sheraton Luxor Sun Rise Royal Makady Sofitel Taba The Guard Cairo The Gabriel Cairo Vacation Club Sharm



Azur Wadi Lahm Azur Mediterranean Byoum Fayoum Festival Garden & Reef Hurghada Hilton Corniche Hilton King Ranch Alex Hilton Green Plaza Alex Holidays Inn Maadi Hilton Marsa Alam Intercontinental City Star Cairo Le Meridian airport Mercure Sphinx Mercure Ismailia Mercure Bay View Dahab Nile Dolphin Cruise Luxor Old Palace Hurghada Radisson Blu Alex Sun Rise Crystal Hurghada The Guard Cairo The Gabriel Cairo Vacation Club Sharm



Azur Wadi Lahm
Continental Ref Sharm
Festival Garden & Reef Hurghada
Holidays Inn Maadi
Hilton Green Plaza Alex
Hilton King Ranch Alex
Ibrotel Burg Arab
Mercure Bay View Dahab
The Guard Cairo
Palm Piaza Hurghada
Sun Rise Crystal Hurghada
Swiss Inn Dahab
Westin Dunes



Dar Faiz Cairo Dar Faiz Syria Grand Sun Cruise Luxor Grand Rose Cruise Luxor Grand Glory Cruise Luxor Grand Palm Cruise Luxor Infantry Cairo Movenpick Media City Mena House The Guard Cairo The Knights Cairo Tolip Taba Tiba Rose New Cairo Old Palace Hurghada Radisson Blu Alex Romance Sokhna Tolip Taba Toya Cruise Luxor



Dahabiat Cruise Luxor Fairmont Nile Cairo Hilton King Ranch Alex Hilton Green Plaza Alex Hilton Marsa Alam Intercontinental City Star Cairo Maadi Hospital Conference Hall Mercure Ismailia Mercure Bay View Dahab Royal Maxim Kempinski Sun Rise Crystal Hurghada Sun Rise Royal Makady Swiss Inn Dahab The Guard Cairo The Gabriel Cairo Vacation Club Sharm Westin Dunes

Azur Wadi Lahm
Hilton Green Plaza Alex
Hilton King Ranch Alex
Helnan Alex
Mercure Bay View Dahab
Nile Ritz Carlton Cairo
Sofitel Gezira Cairo
Royal Maxim Kempinski
Tiba Rose New Cairo
Plaza Alex
Radisson Blu Alex
Swiss Inn Dahab

Mirror Defogger

Hilton King Ranch Alex Hilton Green Plaza Alex Hilton Marsa Alam Le Meridian airport Old Palace Hurghada Rixos Sharm Stiegenberger Tahrir Vacation Club Sharm

Bath Scale

Fairmont Nile Cairo
Hilton King Ranch Alex
Hilton Marsa Alam
Le Meridian airport
Mercure Bay View Dahab
Old Palace Hurghada
Sun Rise Crystal Hurghada



Dahabiat Cruise Luxor Hilton Marsa Alam Mercure Bay View Dahab Old Palace Hurghada Resta Port Said Swiss Inn Dahab Vacation Club Sharm



Dar Faiz Cairo Hilton Marsa Alam Le Meridian airport Old Palace Hurghada Sun Rise Crystal Hurghada Vacation Club Sharm



Helnan Fayoum Parcelo Pyramids Swiss Inn Dahab Westin Dunes





Head Office: 33 Al Akkad Mosque St., Behind Niger Embassy, from Al Haram St., Giza, Egypt **Postal Code:** 12574

Tel. & Fax: (+202) 338 62 363 - **Hotline:** (+2012) 234 32 705

Website: www.masternile.com Email: info@masternile.com